Author index

Abate, G. F. and Heikens, D.: Polymer–filler interaction in polystyrene filled with coated glass spheres: 1. Interfacial adhesion control, 137

Abate, G. F. and Heikens, D.: Polymer–filler interaction in polystyrene filled with coated glass spheres: 2. Crazing modes at different adhesive strength in impact experiments, 342

Abdul Ghani; Rusli Bin and Dunn, Alexander, S.: The effect of molecular weight of poly(vinyl alcohol acetate) on latex viscosity, 285

Adamson, M. J.: *see* Kong, E. S. W., 171

Aharoni, S. M. and Murthy, N. S.: Spherical non-draining Boc-poly(α,ε-L-lysine) macromolecules SAXS and viscosity studies, 132

Akelah, A. and Sherrington, D. C.: Chiral polymeric reagents: Supported-L-proline and polysaccharide modified sodium borohydride, 147

Akelah, A., Kingston, S. B. and Sherrington, D. C.: Rigid macroreticular poly(-*N*,*N*-dimethyl-*p*-vinylbenzamide) based supports for use in solid phase syntheses, 281

Akutsu, Fumikiko; Watanabe, Yuichi; Miura, Masatoshi and Nagakubo, Kuniharu: Synthesis of polybenzimidazoles with pendant quinoxaline ring, 213

Al-Malaika, S. and Scott, G.: Mechanisms of antioxidant action.: The role of disulphides as transformation products from metal dithiolates, 24

Andreani, Franco; Angiolini, Luigi; Costa Bizzarri, Paolo; Della Casa, Carlo; Ferruti, Paolo; Ghedini, Nadia; Tramontini, Maurilio and Pilati, Francesco: The Mannich bases in polymer synthesis: 5. Synthesis and characterization of poly(β-ketothioethers) from aliphatic and aromatic bis(β-dialkylaminoketones) and bis-thiols, 156

Andreani, Franco: *see* Pilati, Francesco, 309

Angeloni, Annino Sante; Ferruti, Paolo; Laus, Michele; Tranontini, Maurilio; Chiellini, Emo and Galli, Giancarlo: The Mannich bases in polymer synthesis: 4. Further studies on synthesis and characterization of some poly(β-aminoketone)s containing potentially mesogenic groups, 87

Angiolini, Luigi: *see* Andreani, Franco, 156

Angiolini, Luigi: *see* Pilati, Francesco, 309

Ange, Ursula: *see* Bartulin, Juan, 30

Ania, F.: *see* Rueda, D. R., 258

Araki, Takumi: *see* Niino, Masahiko, 124

Avramova, Nadja and Fakirov, Stoyko: On the determination of the equilibrium melting temperature of nylon-6,6 and nylon-12, 19

Ayrey, G., Jumangat, K., Bevington, J. C. and Huckerby, T. N.: Reactivity of vinyl chloride towards the 2-cyano-2-propyl radical, 275

Bachus, R. and Kimmich, R.: Evidence for inhomogeneities in polyethylene melts as detected by n.m.r. transverse relaxation and free induction, 317

Balta Calleja, F. J.: *see* Rueda, D. R., 258

Bamford, C. H. and Schofield, E.: Non Classical free-radical polymerization: 4. The polymerization of 2-deutero-1-vinylimidazole, 4

Barbucci, R., Benvenuti, M., Pesavento, M. and Ferruti, P.: Evaluation of absorbing capacity and selectivity of a new ion exchange resin with a poly(amido–amine) structure, 26

Bartulin, Juan; Rivas, Bernabe L.; Cardenas, Galo; Perich, Ivan and Angne, Ursula: Morphology and surface area of crosslinked poly(ethylenimine) resins, 30

Benvenuti, M.: *see* Barbucci, R., 26

Berghmans, Hugo: *see* Dorrestijn, Antoon, 226

Bevington, J. C.: *see* Ayrey, G., 275

Bevis, M.: *see* Sandilands, G., 273

Bhadani, Suraj N.: *see* Mishra, Mahendra K., 247

Bhargava, G. S.: *see* Khan, H. U., 191

Billaud, D.: *see* Haleem, M. A., 54

Billaud, D.: *see* Proń, A., 57

Birch, D. J. S.: *see* Kryszewski, M., 73

Bottino, F. A., Finocchiaro, P., Libertini, E., Mamo, A. and Recca, A.: Metal selectivity properties of Schiff bases and thiobis-(β-diketones) when forming polymeric metal complexes, 63

Bowman, J.: *see* Sandilands, G., 273

Brewis, D. M., Comyn, J. and Shalash, R. J. A.: The effect of water and heat on the properties of an epoxide adhesive in relation to the performance of single lap joints, 67

Broussoux, D.: *see* Leonard, C., 110

Brouwer, W. M., Piet, P. and German, A. L.: Viscometric characterization of a polymeric catalyst for the autoxidation of thiols, 216

Buckley, A.: *see* Cansfield, D. L. M., 130

Bullock, Anthony T., Cameron, G. Cordon and Miles, Isabel S.: Electron spin resonance studies of spin-labelled polymers: 17. A spin probe study of the compatibility limit of poly(vinyl acetate) and dinonyl phthalate, 22

Burfield, David R. and Doi, Yoshiharu: Polypropylene tacticity determination by d.s.c. crystallization measurements, 48

Burfield, David R.: D.s.c. analysis of natural rubber latices. Measurement of the glass transition temperature and the dry rubber content, 178

Burton, D. J., Harris, R. K., Dodgson, K., Pellow, C. J. and Semlyen, J. A.: Silicon-29 n.m.r. chemical shifts of cyclic dimethyl siloxane oligomers, 278

Bywater, S.: Microstructure determination of polybutadiene by ^{13}C n.m.r., 203

Calahorra, E., Cortazar, M. and Guzmán, G. M.: Effect of poly(methyl methacrylate) on the crystallization kinetics of poly(ethylene oxide), 211

Camargo, R. E., Macosko, C. W., Tirrell, M. and Wellinghoff, S. T.: Hydrogen bonding in segmented polyurethanes: band assignment for the carbonyl region, 314

Cameron, G. Gordon: *see* Bullock, Anthony T., 22

Cansfield, D. L. M., Ward, I. M., Woods, D. W., Buckley, A., Pierce, J. M. and Wesley, J. L.: Tensile strength of ultra high modulus linear polyethylene filaments, 130

Cao, Y., Guo, K., Wan, M., Wang, P., Qian, R., Wang, F. and Zhao, X.: Doping of polyacetylene films to the metallic state with $PtCl_4$ and $H_2PtCl_6.6H_2O$, 300

Cardenas, Galo: *see* Bartulin, Juan, 30

Carlfors, Johan: *see* Rymden, Roger, 114

Carlfors, J., Rymden, R. and Nystrom, B.: Comments on the diffusion behaviour in semidilute solutions of polystyrene at marginal solvent conditions, 263

Ceccorulli, G., Pizzoli, M., Scandola, M. and Pazzin, G.: Solubility predictions for poly(vinyl chloride)–ester systems, 107

Challa, G.: *see* Jager, H., 290

Chao, Delphine: *see* Fang Sun, Siao, 84

Chatani, Yozo: *see* Kusuyama, Hideo, 119

Chatterjee, S. K., Singh, B. P. and Pachauri, L. S.: Influence of comonomers on the reactivity of some halogen-substituted aromatic amines, 153

Chatterjee, S. K. and Sethi, K. R.: Study of polymer–polymer complex formation between poly(ethylene oxide) and *p*-hydroxybenzoic acid–formaldehyde copolymer in non-aqueous media, 253

Chau, K. W. and Geil, P. H.: Domain morphology in oriented polyurethane, 50

Chen, C. C.: *see* Shen, J., 167

Chenite, A.: *see* Haleem, M. A., 54

Chiellini, Emo: *see* Angeloni, Annino Sante, 87

Chow, T. S.: Dependence of the glass temperature on relaxation times, 77

Cifra, P. and Romanov, A.: Thermodynamic model of association between polymer and small molecules in solution, 234

Clark, D. T., Fowler, A. H. K. and Peeling, J.: A ^{13}C n.m.r. investigation of the time dependence of nitration and denitration of cellulosic materials, 117

Clark, D. T. and Fowler, A. H. K.: The surface chemistry of nitrocelluloses: a variable temperature study by means of e.s.c.a., 140

Clegg, D. W., Collyer, A. A. and Morton, K.: Extrusion and injection moulding behaviour of polystyrene/high-density polyethylene blends, 10

Coleman, M. M.: *see* Moskala, E. J., 206

Collyer, A. A.: *see* Clegg, D. W., 10

Author index

Abate, G. F. and Heikens, D.: Polymer–filler interaction in polystyrene filled with coated glass spheres: 1. Interfacial adhesion control, 137

Abate, G. F. and Heikens, D.: Polymer–filler interaction in polystyrene filled with coated glass spheres: 2. Crazing modes at different adhesive strength in impact experiments, 342

Abdul Ghani; Rusli Bin and Dunn, Alexander, S.: The effect of molecular weight of poly(vinyl alcohol acetate) on latex viscosity, 285

Adamson, M. J.: *see* Kong, E. S. W., 171

Aharoni, S. M. and Murthy, N. S.: Spherical non-draining Boc-poly(α,ε-L-lysine) macromolecules SAXS and viscosity studies, 132

Akelah, A. and Sherrington, D. C.: Chiral polymeric reagents: Supported-L-proline and polysaccharide modified sodium borohydride, 147

Akelah, A., Kingston, S. B. and Sherrington, D. C.: Rigid macroreticular poly(-*N*,*N*-dimethyl-*p*-vinylbenzamide) based supports for use in solid phase syntheses, 281

Akutsu, Fumikiko; Watanabe, Yuichi; Miura, Masatoshi and Nagakubo, Kuniharu: Synthesis of polybenzimidazoles with pendant quinoxaline ring, 213

Al-Malaika, S. and Scott, G.: Mechanisms of antioxidant action.: The role of disulphides as transformation products from metal dithiolates, 24

Andreani, Franco; Angiolini, Luigi; Costa Bizzarri, Paolo; Della Casa, Carlo; Ferruti, Paolo; Ghedini, Nadia; Tramontini, Maurilio and Pilati, Francesco: The Mannich bases in polymer synthesis: 5. Synthesis and characterization of poly(β-ketothioethers) from aliphatic and aromatic bis(β-dialkylaminoketones) and bis-thiols, 156

Andreani, Franco: *see* Pilati, Francesco, 309

Angeloni, Annino Sante; Ferruti, Paolo; Laus, Michele; Tranontini, Maurilio; Chiellini, Emo and Galli, Giancarlo: The Mannich bases in polymer synthesis: 4. Further studies on synthesis and characterization of some poly(β-aminoketone)s containing potentially mesogenic groups, 87

Angiolini, Luigi: *see* Andreani, Franco, 156

Angiolini, Luigi: *see* Pilati, Francesco, 309

Ange, Ursula: *see* Bartulin, Juan, 30

Ania, F.: *see* Rueda, D. R., 258

Araki, Takumi: *see* Niino, Masahiko, 124

Avramova, Nadja and Fakirov, Stoyko: On the determination of the equilibrium melting temperature of nylon-6,6 and nylon-12, 19

Ayrey, G., Jumangat, K., Bevington, J. C. and Huckerby, T. N.: Reactivity of vinyl chloride towards the 2-cyano-2-propyl radical, 275

Bachus, R. and Kimmich, R.: Evidence for inhomogeneities in polyethylene melts as detected by n.m.r. transverse relaxation and free induction, 317

Balta Calleja, F. J.: *see* Rueda, D. R., 258

Bamford, C. H. and Schofield, E.: Non Classical free-radical polymerization: 4. The polymerization of 2-deutero-1-vinylimidazole, 4

Barbucci, R., Benvenuti, M., Pesavento, M. and Ferruti, P.: Evaluation of absorbing capacity and selectivity of a new ion exchange resin with a poly(amido–amine) structure, 26

Bartulin, Juan; Rivas, Bernabe L.; Cardenas, Galo; Perich, Ivan and Angne, Ursula: Morphology and surface area of crosslinked poly(ethylenimine) resins, 30

Benvenuti, M.: *see* Barbucci, R., 26

Berghmans, Hugo: *see* Dorrestijn, Antoon, 226

Bevington, J. C.: *see* Ayrey, G., 275

Bevis, M.: *see* Sandilands, G., 273

Bhadani, Suraj N.: *see* Mishra, Mahendra K., 247

Bhargava, G. S.: *see* Khan, H. U., 191

Billaud, D.: *see* Haleem, M. A., 54

Billaud, D.: *see* Proń, A., 57

Birch, D. J. S.: *see* Kryszewski, M., 73

Bottino, F. A., Finocchiaro, P., Libertini, E., Mamo, A. and Recca, A.: Metal selectivity properties of Schiff bases and thiobis-(β-diketones) when forming polymeric metal complexes, 63

Bowman, J.: *see* Sandilands, G., 273

Brewis, D. M., Comyn, J. and Shalash, R. J. A.: The effect of water and heat on the properties of an epoxide adhesive in relation to the performance of single lap joints, 67

Broussoux, D.: *see* Leonard, C., 110

Brouwer, W. M., Piet, P. and German, A. L.: Viscometric characterization of a polymeric catalyst for the autoxidation of thiols, 216

Buckley, A.: *see* Cansfield, D. L. M., 130

Bullock, Anthony T., Cameron, G. Cordon and Miles, Isabel S.: Electron spin resonance studies of spin-labelled polymers: 17. A spin probe study of the compatibility limit of poly(vinyl acetate) and dinonyl phthalate, 22

Burfield, David R. and Doi, Yoshiharu: Polypropylene tacticity determination by d.s.c. crystallization measurements, 48

Burfield, David R.: D.s.c. analysis of natural rubber latices. Measurement of the glass transition temperature and the dry rubber content, 178

Burton, D. J., Harris, R. K., Dodgson, K., Pellow, C. J. and Semlyen, J. A.: Silicon-29 n.m.r. chemical shifts of cyclic dimethyl siloxane oligomers, 278

Bywater, S.: Microstructure determination of polybutadiene by ^{13}C n.m.r., 203

Calahorra, E., Cortazar, M. and Guzmán, G. M.: Effect of poly(methyl methacrylate) on the crystallization kinetics of poly(ethylene oxide), 211

Camargo, R. E., Macosko, C. W., Tirrell, M. and Wellinghoff, S. T.: Hydrogen bonding in segmented polyurethanes: band assignment for the carbonyl region, 314

Cameron, G. Gordon: *see* Bullock, Anthony T., 22

Cansfield, D. L. M., Ward, I. M., Woods, D. W., Buckley, A., Pierce, J. M. and Wesley, J. L.: Tensile strength of ultra high modulus linear polyethylene filaments, 130

Cao, Y., Guo, K., Wan, M., Wang, P., Qian, R., Wang, F. and Zhao, X.: Doping of polyacetylene films to the metallic state with $PtCl_4$ and $H_2PtCl_6.6H_2O$, 300

Cardenas, Galo: *see* Bartulin, Juan, 30

Carlfors, Johan: *see* Rymden, Roger, 114

Carlfors, J., Rymden, R. and Nystrom, B.: Comments on the diffusion behaviour in semidilute solutions of polystyrene at marginal solvent conditions, 263

Ceccorulli, G., Pizzoli, M., Scandola, M. and Pazzin, G.: Solubility predictions for poly(vinyl chloride)–ester systems, 107

Challa, G.: *see* Jager, H., 290

Chao, Delphine: *see* Fang Sun, Siao, 84

Chatani, Yozo: *see* Kusuyama, Hideo, 119

Chatterjee, S. K., Singh, B. P. and Pachauri, L. S.: Influence of comonomers on the reactivity of some halogen-substituted aromatic amines, 153

Chatterjee, S. K. and Sethi, K. R.: Study of polymer–polymer complex formation between poly(ethylene oxide) and *p*-hydroxybenzoic acid–formaldehyde copolymer in non-aqueous media, 253

Chau, K. W. and Geil, P. H.: Domain morphology in oriented polyurethane, 50

Chen, C. C.: *see* Shen, J., 167

Chenite, A.: *see* Haleem, M. A., 54

Chiellini, Emo: *see* Angeloni, Annino Sante, 87

Chow, T. S.: Dependence of the glass temperature on relaxation times, 77

Cifra, P. and Romanov, A.: Thermodynamic model of association between polymer and small molecules in solution, 234

Clark, D. T., Fowler, A. H. K. and Peeling, J.: A ^{13}C n.m.r. investigation of the time dependence of nitration and denitration of cellulosic materials, 117

Clark, D. T. and Fowler, A. H. K.: The surface chemistry of nitrocelluloses: a variable temperature study by means of e.s.c.a., 140

Clegg, D. W., Collyer, A. A. and Morton, K.: Extrusion and injection moulding behaviour of polystyrene/high-density polyethylene blends, 10

Coleman, M. M.: *see* Moskala, E. J., 206

Collyer, A. A.: *see* Clegg, D. W., 10

Comyn, J.: *see* Brewis, D. M., 67
Cortazar, M.: *see* Calahorra, E., 211
Costa Bizzarri, Paolo: *see* Andreani, Franco, 156
Costa Bizzari, Paolo: *see* Pilati, Francesco, 309

Damjanov, St.: *see* Glavchev, Iv., 95
Della Casa, Carlo: *see* Andreani, Franco, 156
Della Casa, Carlo: *see* Pilati, Francesco, 309
Demma, G.: *see* Martuscelli, E., 266
Deopura, B. L., Sengupta, A. K. and Verma, Anu: Effect of moisture on physical properties of nylon, 287
Dmitruk, N. V.: *see* Lipatov, Yu. S., 197
Dodgson, K.: *see* Burton, D. J., 278
Doi, Yoshiharu: *see* Burfield, David R., 48
Doi, Yoshiharu; Soga, Kazuo; Murata, Mashide; Suzuki, Eiichi; Ono, Yoshio and Keii, Tominaga: Additive effect of metal chlorides on propylene polymerization with a soluble titanium-based Ziegler catalyst, 244
Dorrestijn, Antoon; Lemstra, Piet J. and Berghmans, Hugo: Gelation/crystallization of poly(vinyl chloride), 226
Dumelow, T., Holding, S. R. and Maisey, L. J.: Low-angle laser light scattering for determination of molecular weights – an inter-laboratory comparison, 307
Dunn, Alexander S.: *see* Abdul Ghani, Rusli bin, 285

Ebdon, John R., Huckerby, Thomas N. and Khan, Ikramullah: Mechanistic implications of the ^{13}C n.m.r. spectra of alternating styrene–methyl methacrylate copolymers prepared with metal halides and organometal halides, 162
Ellsmore, Paul A.: *see* Guenet, Jean-Michel, 230

Fakirov, Stoyko: *see* Avramova, Nadja, 19
Fang Sun, Siao; Chao, Delphine and Lin, Sharon: Differential refractive indices of star-shaped and linear polystyrenes, 84
Faulques, E.: *see* Lefrant, S., 361
Feast, W. James and Millichamp, Ian S.: The synthesis of poly(4,4′-diphenylvinylene) via condensation polymerization of 4,4′-dibenzoylbiphenyl, 102
Ferruti, P.: *see* Barbucci, R., 26
Ferruti, Paolo: *see* Angeloni, Annino Sante, 87
Ferruti, Paolo: *see* Andreani, Franco, 156
Ferruti, Paolo: *see* Pilati, Francesco, 309
Finocchiaro, P.: *see* Bottino, F. A., 63
Fowler, A. H. K.: *see* Clark, D. T., 117
Fowler, A. H. K.: *see* Clark, D. T., 140

Galli, Giancarlo: *see* Angeloni, Annino Sante, 87
Gallo, Raffaele: *see* Severini, Febo, 350
Geil, P. H.: *see* Chau, K. W., 50
Geissler, E.: *see* Hecht, A. M., 98
German, A. L.: *see* Brouwer, W. M., 216
Ghedini, Nadia: *see* Andreani, Franco, 156
Ghedini, Nadia: *see* Pilati, Francesco, 309
Gibson, H. W.: *see* Pochan, J. M., 322
Glavchev, Iv., Kabaivanov, VI., Petrova, T. and Damjanov, St.: The effect of $SbCl_5$ on the polymerization of ethylene by the $TiCl_4/R_3Al/(C_6H_5)_2Mg$ catalyst, 95
Goldstein, M., Stephenson, D. and Maddams, W. F.: Temperature dependence of the B_{1u} lattice mode in the far infra-red spectrum of polyethylene, 59
Guenet, Jean-Michel; Willmott, Nigel F. F. and Ellsmore, Paul A.: A new look at the enhanced low-angle scattering in moderately concentrated polymer solutions, 230
Guenet, J-M.: Comments on Crist *et al.*'s paper on chain dimensions of crystallizable polymers: an alternative interpretation of the experimental data, 323
Guo, K.: *see* Cao, Y., 300
Gupta, V. K.: *see* Khan, H. U., 191
Guzmán, G. M.: *see* Calahorra, E., 211
Guzmán, G. M.: *see* Santamaria, A., 218

Halary, J. L.: *see* Leonard, C., 110
Haleem, M. A., Chenite, A. and Billaud, D.: A kinetic study of the interaction of *trans*-polyacetylene $(CH)_x$ with oxygen–water mixtures and ozone, 54
Hanabusa, Hiroshi: *see* Shindo, Yohji, 240
Harris, R. K.: *see* Burton, D. J., 278
Havens, J. R. and Koenig, J. L.: Characterization of oligo(butylene terephthalate)'s through magic-angle ^{13}C n.m.r., 194
Hayakawa, Tadao; Inouye, Katsuhiko and Yamamoto, Hiroyuki: Synthesis and conformation of amphoteric poly(3-amino-L-tyrosine), 92
Hecht, A. M. and Geissler, E.: The friction coefficient in deswelling gels, 98
Heikens, D.: *see* Abate, G. F., 137
Heikens, D.: *see* Abate, G. F., 342
Hemsley, D. A., Higgs, R. P. and Miadonye, A.: U.v. fluorescence microscopy in the study of poly(vinyl chloride) powders and extrudates, 103
Hidai, Masanobu: *see* Noguchi, Hiromichi, 180
Higashimura, T.: *see* Kiniwa, H., 188
Higgs, R. P.: *see* Hemsley, D. A., 103
Hirao, Akira; Takenaka, Katsuhiko; Yamaguchi, Kazuo; Nakahama, Seiichi and Yamazaki, Noboru: Polymerization of monomers containing functional groups protected by trialkylsilyl groups: 2. Synthesis of poly[2-(4-vinylphenyl)-ethanol] by anionic living polymerization, 339
Hodge, P., Hunt, B. J., Waterhouse, J. and Wightman, A.: Phase transfer catalysed crosslinking of linear polymers, 70
Holding, S. R.: *see* Dumelow, T., 307
Honda, Chikako: *see* Kambe, Yuko, 208
Howard, G. J., Ma, C. C. and Yip, C. W.: The adsorption of oligomers, 182
Huckerby, T. N.: *see* Ayrey, G., 275
Huckerby, Thomas N.: *see* Ebdon, John R., 162
Hunt, B. J.: *see* Hodge, P., 70

Ibar, J. P.: Instability in the rubbery state revealed by d.s.c. of rheomoulded polystyrene samples, 331
Igarashi, Takashi: *see* Kondo, Shingo, 221
Iguchi, Masatoshi: *see* Kobayashi, Masamichi, 38
Imanishi, Y.: *see* Kiniwa, H., 188
Imhof, R. E.: *see* Kryszewski, M., 73
Inoue, Karou: *see* Noguchi, Hiromichi, 180
Inouye, Katsuhiko: *see* Hayakawa, Tadao, 92
Ishikawa: *see* Nagura, Masanobu, 250
Itoh, Yuzo: *see* Kobayashi, Masamichi, 38
Ivanov, S. A.: *see* Shibaev, V. P., 364

Jachym, B.: *see* Kuczkowski, A., 347
Jager, H., Vorenkamp, E. J. and Challa, G.: *LCST* behaviour in blends of PMMA with PVC, 290
Johnson, A. F., Khaligh, K., Ramsay, J. and O'Driscoll, K.: Temperature effects in free radically initiated copolymerization reactions, 35
Jumangat, K.: *see* Ayrey, G., 275

Kabaivanov, VI.: *see* Glavchev, Iv., 95
Kajiwara, M. and Yamamoto, N.: The trimethylsilylation of silica II. Dependence of yield and molecular weight on silica and proton concentration, 150
Kalman, P.: *see* Sandilands, G., 273
Kambe, Yuko and Honda, Chikako: Dynamic light scattering from aqueous solutions of poly(ethylene oxide), 208
Kambour, R. P.: Correlations of the dry crazing resistance of glassy polymers with other physical properties, 292
Kambour, Roger P.: *see* Takemori, Michael T., 297
Kapko. J. and Polaczek, J.: Synthesis and properties of polyamide polyelectrolytes with phenolic side groups, 315
Keii, Tominaga: *see* Doi, Yoshiharu, 244
Keller, A.: *see* Odell, J. A., 7
Kendall, K. D.: *see* Price, C., 200
Kendall, K. D.: *see* Price, C., 326
Khaligh, K.: *see* Johnson, A. F., 35
Khan, H. U., Gupta, V. K. and Bharagava, G. S.: Determination of intrinsic viscosity of high polymers through a single specific viscosity measurement, 191
Khan, Ikrmullah: *see* Ebdon, John R., 162
Khmelenko, G. I.: *see* Lipatov, Yu. S., 359
Kimmich, R.: *see* Bachus, R., 317
Kingston, S. B.: *see* Akelah, A., 281
Kiniwa, H., Imanishi, Y. and Hagashimura, T.: Synthesis of polymers and copolymers having *N*-methylated cyclic dipeptide in side chain and interactions with metal ions in solution, 188
Kiesper, Ernst: *see* Schmitz, Franz P., 142
Kobayashi, Masamichi; Itoh, Yuzo; Tadokoro, Hiroyuki; Shimomura, Masaki and Iguchi, Masatoshi: Identification of orthorhombic polyoxymethylene generated in a cationic polymerization system of trioxane, 38

Kobayashi, Yasuji: *see* Yoshida, Hiroshisa, 336
Koenig, J. L.: *see* Havens, J. R., 194
Kojima, M. and Magill, J. H.: Morphology of polyphosphazene crystals, 329
Kollross, P.: *see* Owen, A. J.
Kondo, Shingo and Igarashi, Takashi: Brillouin scattering from networks of end-linked dimethylsiloxane oligomers, 221
Kong, E. S. W. and Adamson, M. J.: Physical ageing and its effect on the moisture sorption of amine-cured epoxies, 171
Koning, C. E.: *see* van Hutten, P. F., 237
Kostromin, S. G.: *see* Shibaev., V. P., 364
Koyama, Nobour: *see* Ueno, Yukihiko, 185
Krichene, S.: *see* Lefrant, S., 361
Kryszewski, M., Wandelt, B., Birch, D. J. S., Imhof, R. E., North, A. M. and Pethrick, R. A.: Effect of annealing on photo-energy transfer in poly(2,6-dimethyl-1,4-phenylene oxide), polystyrene and their blends, 73
Kuczkowski, A., Slupkowski, T., Jachym, B. and Zawislawski, Z.: Electrophotographic properties of a poly(vinylcarbazole) tetracyanoquinodimethane charge–transfer complex, 347
Kulszewicz, I.: *see* Prón, A., 57
Kusuyama, Hideo; Miyamoto, Noritake; Chatani, Yozo and Tadakoro, Hiroyuki: Crystalline complexes of syndiotactic poly(methyl methacrylate) with some organic solvents, 119

Laus, Michele: *see* Angeloni, Annino Sante, 87
Lee, Ping I.: Dimensional changes during drug release from a glassy hydrogel matrix, 45
Lefrant, S., Faulques, E., Krichene, S. and Sagon, G.: Raman study of *trans*-polyacetylene and polyparaphenylene with excitation in the u.v. range, 361
Lemstra, Piet J.: *see* Dorrestijn, Antoon, 226
Leonard, C., Halary, J. L., Monnerie, L., Broussoux, D., Servet, B. and Micheron, F.: *FT*-i.r. evidence of β crystal phase formation in PVDF/PMMA blends, 110
Libertini, E.: *see* Bottino, F. A., 63
Lin, Sharon: *see* Sun, Siao Fang, 84
Lipatov, Yu. S., Tsukruk, V. V. and Shilov, V. V.: On the possibility of microphase separation in liquid crystalline polymers, 75
Lipatov, Yu. S., Tsukruk, V. V., Dmitruk, N. V., Polyatskova, N. V., Shilov, V. V. and Shevchenko, V. V.: Influence of hydrophilic additives on the structural state of urethane ionomers in water, 197
Lipatov, Yu. S.: *see* Tsukruk, V. V., 260
Lipatov, Yu. S., Privalko, V. P., Nedrya, N. L., Titov, G. V. and Khmelenko, G. I.: Calorimetric study of the thermodynamic state of macromolecules in boundary layers of highly filled oligoester, 359

Ma, C. C.: *see* Howard, G. J., 182
Macosko, C. W.: *see* Camargo, R. E., 314
Maddams, W. F.: *see* Goldstein, M., 59
Magill, J. H.: *see* Kojima, M., 329
Maisey, L. J.: *see* Dumelow, T., 307
Malhotra, Bansi D. and Pethrick, Richard A.: Positron annihilation studies of poly(dimethylsiloxane), 165
Mamo, A.: *see* Bottino, P., 63
Martinez, M. A.: *see* Santamaria, A., 218
Martuscelli, E., Demma, G., Rossi, E. and Sergre, A. L.: Evidence of compatibility in the melt for poly(ethylene oxide)/poly(methyl methacrylate) blends by ^{13}C n.m.r. investigations, 266
Matsumoto, Dean S. and Takemori, Michael T.: Observation of an epsilon crack tip plastic zone during discontinuous fatigue crack growth in polysulphone, 41
Matsumoto, Dean S.: *see* Takemori, Michael T., 297
Matsuzawa, Shuji: *see* Nagura, Masanobu, 250
Miadonye, A.: *see* Hemsley, D. A., 103
Micheron, F.: *see* Leonard, C., 110
Miles, Isabel S.: *see* Bullock, Anthony T., 22
Miles, M. J.: *see* Odell, J. A., 7
Millichamp, Ian S.: *see* Feast, W. James, 102
Mishra, Mahendra K. and Bhadani, Suraj N.: Acid initiated polymerization of acylamide, 247
Mitchell, G. R., Pick, M. and Windle, A. H.: Development of molecular orientation in the plane strain compression of PMMA, 16
Mitchell, G. R.: *see* Viney, C., 145
Mitchell, T. D.: *see* Moore, J. A., 82
Mitchell, T. D.: *see* Moore, J. A., 122
Miura, Masatoshi: *see* Akutsu, Fumihiko, 213
Miyamoto, Noritake: *see* Kusuyama, Hidea: 119
Monnerie, L.: *see* Leonard, C., 110
Moore, J. A. and Mitchell, T. D.: Polymerization of diethyl 1,4-bis(trimethylsiloxy)cyclohexa-1,4-diene-2,5-dicarboxylate: Mechanistic implications, 82
Moore, J. A. and Mitchell, T. D.: Unexpected synthesis of a poly(β-ketoamide) from reaction of dibenzo(a,e) cyclocetene-6, 12-bis(carbomethoxy)-5, 11-dione with *m*-phenylene-diamine, 122
Morton, K.: *see* Clegg, D. W., 10
Moskala, E. J. and Coleman, M. M.: *FT*-i.r. studies of poly(vinyl ether) blends with the poly(hydroxy ether) of bisphenol A, 206
Munoz, M. E.: *see* Santamaria, A., 218
Murata, Mashide: *see* Doi, Yoshiharu, 244
Murthy, N. S.: *see* Aharoni, S. M., 132

Nagakubo, Kuniharu: *see* Akutsu, Fumihiko, 213
Nagura, Masanobu; Matsuzawa, Shuji; Yamaura, Kazuo and Ishikawa, Hiroshi: Molecular motion in a poly(vinyl alcohol) crystal, 250
Nakahama, Seiichi: *see* Hirao, Akira, 339
Nambu, Masao: *see* Watase, Mineo, 52
Nambu, Masao: *see* Nishinari, Katsuyoshi, 345
Nedrya, N. L.: *see* Lipatov, Yu. S., 359
Niino, Masahiko; Ueno, Yukihiko; Araki, Takumi and Sekine, Yoshiro: Binding of methyl orange by water-soluble synthetic polyorganosiloxanes, 124
Nilsson, Holger; Silvegren, Christer and Uustalu, Jaan: Drop and grain size distribution during suspension polymerization of vinyl (chloride), 268
Nishinari, Katsuyoshi: *see* Watase, Mineo, 52
Nishinari, Katsuyoshi: *see* Watase, Mineo, 270
Nishinari, Katsuyoshi; Watase, Mineo; Ogino, Kazuyoshi and Nambu, Masao: Simple extension of poly(vinyl alcohol) gels, 345
Noguchi, Hiromichi; Inoue, Kaoru; Hidai, Masanobu and Uchida, Yasuzo: Synthesis of some new vinyl ether monomers by *O*-methoxymethylation of hardly enolizable ketones, 180
North, A. M.: *see* Kryszewski, M., 73
Nystrom, B.: *see* Carlfors, J., 263

Odell, J. A., Keller, A. and Miles, M. J.: A method for studying flow-induced polymer degradation: verification of chain halving, 7
O'Driscoll, K.: *see* Johnson, A. F., 35
Ogino, Kazuyoshi: *see* Nishinari, Katsuyoshi, 345
Ono, Yoshio: *see* Doi, Yoshiharu, 244
Owen, A. J. and Kollross, P.: A note on the crystal structure of nylon-12, 303

Pachauri, L. S.: *see* Chatterjee, S. K., 153
Paipetis, S. A., Tsangaris, G. M. and Tsangaris, J. M.: Dielectric properties of metal-filled epoxies, 373
Pasavento, M.: *see* Barbucci, R., 26
Pazzin, G.: *see* Ceccorulli, G., 107
Peeling, J.: *see* Clark, D. T., 117
Pellow, C. J.: *see* Burton, D. J., 278
Pennings, A. J.: *see* van Hutten, P. F., 237
Perich, Ivan: *see* Bartulin, Juan, 30
Pethrick, R. A.: *see* Kryszewski, M., 73
Pethrick, Richard A.: *see* Malhotra, Bansi D., 165
Petrova, T.: *see* Glavchev, Iv., 95
Piccarolo, Stefano: *see* Rizzo, Giovanni, 174
Pick, M.: *see* Mitchell, G. R., 16
Pierce, J. M.: *see* Cansfield, D. L. M., 130
Piet, P.: *see* Brouwer, W. M., 216
Pilati, Francesco: *see* Andreani, Franco, 156
Pilati, Francesco; Andreani, Franco; Angiolini, Luigi; Bizzari, Paolo Costa; Della Casa, Carlo; Ferruti, Paolo; Ghedini, Nadia and Tramontini, Maurilio: Thermal behaviour of poly(β-ketothioethers), 309
Pizzoli, M.: *see* Ceccorulli, G., 107
Plate, N. A.: *see* Shibaev, V. P., 364
Pochan, J. M. and Gibson, H. W.: Barrier activated I_2 doping of *trans*-polyacetylene as studied by e.s.r., 322
Polaczek, J.: *see* Kapko, J., 315
Polyatskova, N. V.: *see* Lipatov, Yu. S., 197
Price, C., Kendall, K. D., Stubbersfield, R. B. and Wright, B.: Phase separation in a micellar solution of a block copolymer in the region of a lower critical solution temperature, 200
Price, C., Kendall, K. D., Stubbersfield, R. B. and Wright, B.: Thermodynamics of micellization of a polystyrene-*b*-poly

(ethylene/propylene) block copolymer in n-decane, 326
Privalko, A. P.: *see* Lipatov, Yu. S., 359
Pron, A., Kulszewicz, I., Przyluski, J. and Billaud, D.: Oxidation of polyacetylene $(CH)_x$ with tin tetrachloride, 57
Przyluski, J.: *see* Proń, A., 57

Qian, R.: *see* Cao, Y., 300

Ramsay, J.: *see* Johnson, A. F., 35
Recca, A.: *see* Bottino, F. A., 63
Richardson, A.: *see* Rueda, D. R., 258
Rivas, Bernabe L.: *see* Bartulin, Juan, 30
Rizzo, Giovanni; Piccarolo, Stefano and Titomanlio, Guiseppe: Tensile large deformation behaviour of iPP and LDPE tubular samples obtained by solid state backward extrusion, 174
Romanov, A.: *see* Cifra, P., 234
Rossi, E.: *see* Martuscelli, E., 266
Rueda, D. R., Ania, F., Richardson, A., Ward, I. M. and Balta Calleja, F. J.: X-ray diffraction study of die drawn poly(arylетherketone) (PEEK), 258
Rymden, Roger and Carlfors, Johan: Refractive index increment of polymers in ternary systems with special reference to diffusion measurements, 114
Rymden, R.: *see* Calfors, J., 263

Sagon, G.: *see* Lefrant, S., 361
Sahu, Uma, S.: Bulk polymerization of maleic anhydride, 61
Sandilands, G., Kalman, P., Bowman, J. and Bevis, M.: The influence of flaw size on the stress rupture lifetimes of polyethylene pipes, 273
Santamaria, A., Guzman, G. M., Martinez, M. A. and Munoz, M. E.: T_{ll} transitions of polystyrene–dioctyl phthalate systems from zero shear viscosity, 218
Sauer, J. A.: *see* Shen, J., 167
Scandola, M.: *see* Ceccorulli, G., 107
Schmitz, Franz P. and Klesper, Ernst: Polystyrene separation by supercritical fluid chromatography, (SFC), 142
Schofield, E.: *see* Bamford, C. H., 4
Scott, G.: *see* Al-Malaika, S., 24
Sekine, Yoshiro: *see* Niino, Masahiko, 124
Sekine, Yoshiro: *see* Ueno, Yukihiko, 185
Semlyen, J. A.: *see* Burton, D. J., 278
Sengupta, A. K.: *see* Deopura, B. L., 287
Sergre, A. L.: *see* Martuscelli, E., 266
Servet, B.: *see* Leonard, C., 110
Sethi, K. R.: *see* Chatterjee, S. K., 253
Severini, Febo and Gallo, Raffaele: Alkaline degradation of styrene–acrylonitrile copolymers, 350
Shalash, R. J. A.: *see* Brewis, 67
Shen, J., Chen, C. C. and Sauer, J. A.: Ductile fracture in fatigue of PMMA, 167
Sherrington, D. C.: *see* Akelah, A., 281
Shevchenko, V. V.: *see* Lipatov, Yu. S., 197
Shibaev, V. P., Kostromin, S. G., Plate, N. A., Ivanov, S. A., Vetrov, V. Yu. and Yakovlev, I. A.: Thermotropic liquid-crystalline polymers: 14. Thermo-recording on the liquid-crystalline polymers with the aid of a laser beam, 364
Shilov, V. V.: *see* Lipatov, Yu. S., 75
Shilov, V. V.: *see* Lipatov, Yu. S., 197
Shilov, V. V.: *see* Tsukruk, V. V., 260
Shimomura, Masaki: *see* Kobayashi, Masamichi, 38
Shindo, Yohji and Hanabusa, Hiroshi: Highly sensitive instrument for measuring optical birefringence, 240
Silegren, Christer: *see* Nilsson, Holger, 268
Singh, B. P.: *see* Chatterjee, S. K., 153
Slupkowski, T.: *see* Kuczkowski, A., 347
Smook, J.: *see* van Hutten, P. F., 237
Soga, Kazuo: *see* Doi, Yoshiharu, 244
Stephenson, D.: *see* Goldstein, M., 59
Stubbersfield, R. B.: *see* Price, C., 200
Stubbersfield, R. B.: *see* Price, C., 326
Suzuki, Eiichi: *see* Doi, Yoshiharu, 244

Tadokoro, Hiroyuki: *see* Kobayashi, Masamichi, 38
Tadakoro, Hiroyuki: *see* Kusuyama, Hideo, 119
Takemori, Michael T.: *see* Matsumoto, Dean S., 41
Takemori, Michael T., Kambour, Roger P. and Matsumoto, Dean S.: On a search for epsilon crack tip plastic zones in the fatigue of amorphous polymers, 297
Takenaka, Katsuhiko: *see* Hirao, Akira, 339
Titomanlio, Giuseppe: *see* Rizzo, Giovanni, 174
Titov, G. V.: *see* Lipatov, Yu. S., 359
Tirrell, M.: *see* Camargo, R. E., 314
Towlson, S. M. and Wright, P. V.: Potentiometric hysteresis and ultra-violet spectroscopy of isotactic poly(methacrylic acid), 79
Tramontini, Maurilio: *see* Angeloni, Annino Sante, 87
Tramontini, Maurilio: *see* Andreani, Franco, 156
Tramontini, Maurilio: *see* Pilati, Francesco, 309
Tricot, Michel: Solution properties and chain rigidity of a polypyrazole in various solvents, 366
Tsangaris, G. M.: *see* Paipetis, S. A., 373
Tsangaris, J. M.: *see* Paipetis, S. A., 373
Tsukruk, V. V.: *see* Lipatov, Yu. S., 75
Tsukruk, V. V.: *see* Lipatov, Yu. S., 197
Tsukruk, V. V., Shilov, V. V. and Lipatov, Yu. S.: Supermolecular structure of liquid crystalline polymer with mesogenic side groups and brominated main chain, 260

Uchida, Yasuzo: *see* Noguchi, Hiromichi, 180
Ueno, Yukihiko: *see* Niino, Masahiko, 124
Ueno, Yukihiko; Koyama, Noboru and Sekine, Yoshiro: Synthesis of functionalized siloxane gels and the micellar catalytic activities of phosphonium salts supported on them, 185
Uustalu, Jaan: *see* Nilsson, Holger, 268

van Hutten, P. F., Koning, C. E., Smook, J. and Pennings, A. J.: Shish-kebabs as an intermediate morphology in gel-spinning/hot drawing of polyethylene, 237
Verma, Anu: *see* Deopura, B. L., 287
Vetrov, V. Yu.: *see* Shibaev, V. P., 364
Viney, C., Mitchell, G. R. and Windle, A. H.: Optical microstructure of oriented liquid crystal polymers, 145
Vorenkamp, E. J.: *see* Jager, H., 290

Wan M.: *see* Cao, Y., 300
Wandelt, B.: *see* Kryszewski, M., 73
Wang, F.: *see* Cao, Y., 300
Wang, P.: *see* Cao, Y., 300
Ward, I. M.: *see* Cansfield, D. L. M., 130
Ward, I. M.: *see* Rueda, D. R., 258
Watanabe, Yuichi: *see* Akutsu, Fumihiko, 213
Watase, Mineo; Nishinari, Katsuyoshi and Nambu, Masao: Rheological properties of an anomalous poly(vinyl alcohol) gel, 52
Watase, Mineo and Nishinari, Katsuyoshi: Anomalous rheological behaviour of poly(vinyl alcohol) gels, 270
Watase, Mineo: *see* Nishinari, Katsuyoshi, 345
Waterhouse, J.: *see* Hodge, P., 70
Wellinghoff, S. T.: *see* Camargo, R. E., 314
Wesley, J. L.: *see* Cansfield, D. L. M., 130
Wightman, A.: *see* Hodge, P., 70
Wignall, G. D. and Wu, W.: A SANS investigation into the role of melting and recrystallization during solid state deformation of polyethylene, 354
Willmott, Nigel F. F.: *see* Guenet, Jean-Michel, 230
Windle, A. H.: *see* Mitchell, G. R., 16
Windle, A. H.: *see* Viney, C., 145
Woods, D. W.: *see* Cansfield, D. L. M., 130
Wright, B.: *see* Price, C., 200
Wright, B.: *see* Price, C., 326
Wright, P. V.: *see* Towlson, S. M., 79
Wu, W.: *see* Wignall, G. D., 354

Yakovlev, I. A.: *see* Shibaev, V. P., 364
Yamaguchi, Kazuo: *see* Hirao, Akira, 339
Yamamoto, Hiroyuki: *see* Hayakawa, Tadao, 92
Yamamoto, N.: *see* Kajiwara, M., 150
Yamamoto, Yuzo: Structural studies on obliquely highly redrawn isotactic polypropylene films, 370
Yamaura, Kazuo: *see* Nagura, Masanobu, 250
Yamazaki, Noboru: *see* Hirao, Akira, 339
Yip, C. W.: *see* Howard, G. J., 182
Yoshida, Hiroshisa and Kobayashi, Yasuji: Morphology and changes in mechanical properties of polystyrene with physical ageing, 336

Zawislawski, Z.: *see* Kuczkowski, A., 347
Zhao, X.: *see* Cao, Y., 300
Zhikuan, Chai: The interaction parameter χ in the Flory equation of state theory, 13

Classified contents

Acid initiated polymerization of acrylamide, 247
Additive effect of metal chlorides on propylene polymerization with a soluble titanium based Ziegler catalyst, 244
Additives, influence of hydrophillic, on the structural state of urethane ionomers in water, 197
Adsorbing capacity, evaluation of, and selectivity of a new ion exchange resin with a poly(amido–amine) structure, 26
Adsorption of oligomers, 182
Ageing, physical, and its effect on the moisture sorption of amine-cured epoxies, 171
—, physical, morphology and changes in mechanical properties of polystyrene with, 336
Amorphous polymers, on a search for epsilon crack tip plastic zones in the fatigue of, 297
Annealing, effect of, on photo-energy transfer in poly(2,6-dimethyl-1,4-phenylene oxide), polystyrene and their blends, 73
Annihilation, positron, studies of poly(dimethyl siloxane), 165
Antioxidant action, mechanisms of: The role of disulphides as transformation products from metal dithiolates, 24
Aromatic amines, influence of comonomers on the reactivity of some halogen-substituted, 153
Association, thermodynamic model of, between polymer and small molecules in solution, 234
Autoxidation of thiols, viscometric characterization of a polymeric catalyst for the, 216

Binding of methyl orange by water-soluble synthetic polyorganosiloxanes, 124
Birefringence, highly sensitive instrument for measuring optical, 240
Blends, *FT*-i.r. evidence of β crystal phase formation in PVDF/PMMA, 110
—, of PMMA with PVC, *ICST* behaviour in, 290
Boundary layers, calorimetric study of the thermodynamic state of macromolecules in, of a highly filled oligoester, 359
Brillouin scattering from networks of end-lined dimethyl siloxane oligomers, 221

Calorimetric study of the thermodynamic state of macromolecules in boundary layers of a highly filled oligoester, 359
Catalyst, the effect of $SbCl_5$ on the polymerization of ethylene by the $TiCl_4/R_3Al/(C_6H_5)_2Mg$, 95
—, viscometric characterization of a polymeric, for the autoxidation of thiols, 216
Carbonyl region, band assignment for the, in hydrogen bonding in segmented polyurethanes, 314
Cellulosic materials, a ^{13}C n.m.r. investigation of the time dependence of nitration and denitration of, 117
Chain halving, verification of, a method for studying flow-induced polymer degradation, 7
—, synthesis of polymers and copolymers having *N*-methylated cyclic dipeptide in the side, and interactions with metal ions in solution, 188
— dimensions of crystallizable polymers, comments on crist *et al.*'s paper on, an alternative interpretation of the experimental data, 323
— rigidity, solution properties and, of a polypyrazole in various solvents, 366
Characterization, the Mannich bases in polymer synthesis: 5. Synthesis and, of poly(β-ketothioethers) from aliphatic and aromatic bis(β-ketothioethers) from aliphatic and aromatic bis(β-dialkylaminoketones) and bis-thiols, 156
—, of oligo(butylene terephthalate)'s through magic-angle ^{13}C n.m.r., 194
—, viscometric, of a polymeric catalyst for the autoxidation of thiols, 216
Chiral polymeric reagents: supported-L-proline and polysaccharide modified sodium borohydride, 147
Comonomers, influence of, on the reactivity of some halogen-substituted aromatic amines, 153
Compatibility, evidence of, in the melt for poly(ethylene oxide)/poly(methyl methacrylate) blends by ^{13}C n.m.r. investigations, 266
Compression, plane strain, of PMMA, development of molecular orientation in the, 16
Complex formation, polymer–polymer, study of, between poly(ethylene oxide) and *p*-hydroxybenzoic acid–formaldehyde copolymer in non-aqueous media, 253
—, poly(vinylcarbazole) tetracyanoquinodimethane charge-transfer, electrophotographic properties of a, 347
Complexes, crystalline, of syndiotactic poly(methyl methacrylate) with some organic solvents, 119
Concentration, silica and proton, dependence of yield and molecular weight on, in the trimethylsilylation of silica II, 150
Conformation, synthesis and, of amphoteric poly(3-amino-L-tyrosine), 92
Copolymer, block, phase separation in a micellar solution of a, in the region of a lower critical solution temperature, 200
—, *p*-hydroxybenzoic acid–formaldehyde, study of the polymer–polymer complex formation between poly(ethylene oxide) and, in non-aqueous media, 253
—, thermodynamics of micellization of a polystyrene-*b*-poly(ethylene/propylene) block, in n-decane, 326
Copolymerization reactions, temperature effects in free radically initiated, 35
Copolymers, alternating styrene–methyl methacrylate, prepared with metal halides and organometal halides, mechanistic implications of the ^{13}C n.m.r. spectra of, 162
—, alkaline degradation of styrene–acrylonitrile, 350
Crazing modes at different adhesive strength in impact experiments in the polymer–filler interaction in polystyrene filled with coated glass spheres: 2., 342
Crosslinking, phase transfer catalysed, of linear polymers, 70
Crystal phase, β, *FT*i.r. evidence of, formation in PVDF/PMMA blends, 110
—, molecular motion in a poly(vinyl alcohol), 250
— structure, of nylon-12, a note on the, 303
Crystalline complexes of syndiotactic poly(methyl methacrylate) with some organic solvents, 119
Crystallizable polymers, comments on Crist *et al.*'s paper on chain dimensions of, an alternative interpretation of the experimental data, 323
Crystallization kinetics of poly(ethylene oxide), effect of poly(methyl methacrylate) on the, 211
—, gelation/, of poly(vinyl chloride), 226
Crystals, polyphosphazene, morphology of, 329
2-Cyano-2-propyl radical, reactivity of vinyl chloride towards the, 275

Degradation, a method for studying flow-induced polymer, verification of chain halving, 7
—, alkaline, of styrene–acrylonitrile copolymers, 350
Deformation behaviour, tensile large, of iPP and LDPE tubular samples obtained by solid state backward extrusion, 174
—, solid state, of polyethylene, a SANS investigation into the role of melting and recrystallization during, 354
Deswelling gels, the friction coefficient in, 98
2-Deutero-1-vinylimidazole, non-classical free-radical polymerization of, 4
Dielectric properties of metal-filled epoxies, 373
Diethyl 1,4-bis(trimethylsiloxy)cyclohexa-1,4-diene-2,5-dicarboxylate: polymerization of, mechanistic implications, 82
Differential scanning calorimetry crystallization measurements, polypropylene tacticity determination by, 48
— analysis of natural rubber latices. Measurement of the glass transition temperature and the dry rubber content, 178
—, instability in the rubbery state revealed by, of Rheomolded® polystyrene samples, 331
Diffusion measurements, refractive index increment of polymers in ternary systems with special reference to, 114
— behaviour, comments on the, in semidilute solutions of polystyrene at marginal solvent conditions, 263
Dimensional changes during drug release from a glassy hydrogel matrix, 45
Dimethyl siloxane oligomers, Brillouin scattering from networks of end-linked, 221
— oligomers, cyclic, silicon-29 n.m.r. chemical shifts of, 278
Dinonyl phthalate, electron spin resonance studies of spin-labelled polymers: 17. A spin probe study of the compatibility limit of poly(vinyl acetate) and, 22
Disulphides, the role of, in mechanisms of antioxidant action: as transformation products from metal dithiolates, 24
Domain morphology in oriented polyurethane, 50

Doping of polyacetylene films to the metallic state with $PtCl_4$ and $H_2PtCl_6.6H_2O$, 300
—, Barrier-activated I_2, of *trans*-polyacetylene as studied by e.s.r., 322
Drawn, X-ray diffraction study of die, poly(aryletherketone) (PEEK), 258
Drug release, dimensional changes during, from a glassy hydrogel matrix, 45
Dry crazing resistance of glassy polymers, correlations of the, with other physical properties, 292
Dynamic light scattering from aqueous solutions of poly(ethylene oxide), 208

Electron spectroscopy for chemical application (e.s.c.a.), the surface chemistry of nitrocelluloses: a variable temperature study by means of, 140
Electron spin resonance studies of spin-labelled polymers: 17. A spin probe study of the compatibility limit of poly(vinyl acetate) and dinonylphthalate, 22
—, barrier-activated I_2 doping of *trans*-polyacetylene as studied by, 322
Electrophotographic properties of a poly(vinylcarbazole)–tetracyanoquinodimethane charge–transfer complex, 347
Epoxide adhesive, the effect of water and heat on the properties of an, in relation to the performance of single lap joints, 67
Epoxies, physical ageing and its effect on the moisture sorption of amine-cured, 171
—, dielectric properties of metal-filled, 373
Epsilon crack tip plastic zone, observation of an, during discontinuous fatigue crack growth in polysulphone, 41
Epsilon crack tip plastic zones, on a search for, in the fatigue of amorphous polymers, 297
Ester–poly(vinyl chloride) systems, solubility predictions for, 107
Ethylene, the effect of $SbCl_5$ on the polymerization of, by the $TiCl_4/R_3Al/(C_6H_5)_2$ Mg catalyst, 95
Extension, simple, of poly(vinyl alcohol) gels, 345
Extrusion and injection moulding behaviour of polystyrene/high-density polyethylene blends, 10
—, solid state backward, tensile large deformation behaviour of iPP and LDPE tubular samples obtained by, 174

Fatigue crack growth in polysulphone, discontinuous, observation of an epsilon crack tip plastic zone during, 41
—, ductile fracture in, of PMMA, 167
— of amorphous polymers, on a search for epsilon crack tip plastic zones in the, 297
Flaw size, the influence of, on the stress rupture lifetimes of polyethylene pipes, 273
Flory equation of state theory, the interaction parameter χ in the, 13
Flow induced polymer degradation, a method for studying: verification of chain halving, 7
Filaments, tensile strength of ultra high modulus linear polyethylene, 130
Films, polyacetylene, doping of, to the metallic state with $PtCl_4$ and $H_2PtCl_6.6H_2O$, 300
—, structural studies on obliquely highly redrawn isotactic polypropylene, 370
Fourier transform infra-red evidence of crystal phase formation in PVDF/PMMA blends, 110
—, studies of poly(vinyl ether) blends with the poly(hydroxy ether of bisphenol A), 206
Fracture, ductile, in fatigue of PMMA, 167
Free-radical polymerization, non-classical,: 4. The polymerization of 2-deutero-1-vinylimidazole, 4
Free radically initiated copolymerization reactions, temperature effects in, 35
Friction coefficient in deswelling gels, 98

Gel, rheological properties of an anomalous poly(vinyl alcohol), 52
Gelation/ crystallization of poly(vinyl chloride), 226
Gels, the friction coefficient in deswelling, 98
— syntheses of functionalized siloxane, and the micellar catalytic activities of phosphonium salts supported on them, 185
—, anomalous rheological behaviour of poly(vinyl alcohol), 270
—, poly(vinyl alcohol), simple extension of, 345
Glass spheres, polymer–filler interaction in polystyrene filled with coated,: 1. Interfacial adhesion control, 137
Glass transition temperature, dependence of the, on relaxation times, 77
—, and the dry rubber content, measurement of the, in the d.s.c. analysis of natural rubber latices, 178
Glassy polymers, correlations of the dry crazing resistance of, with other physical properties, 292

Halides and organometal halides, mechanistic implications of the ^{13}C n.m.r. spectra of alternating styrene–methyl methacrylate copolymers prepared with metal, 162
High polymers, determination of intrinsic viscosity of, through a single specific viscosity measurement, 191
Hydrogel matrix, dimensional changes during drug release from a glassy, 45
Hydrogen bonding in segmented polyurethanes: band assignment for the carbonyl region, 314

Infra-red spectrum, far, of polyethylene, temperature dependence of the B_{1u} lattice mode in the, 59
Inhomogeneities, evidence for, in polyethylene melts as detected by n.m.r. transverse relaxation and free induction, 317
Injection moulding and extrusion behaviour of polystyrene/high-density polyethylene blends, 10
Interaction parameter χ in the Flory equation of state theory, 13
— of *trans*-polyacetylene $(CH)_x$ with oxygen–water mixtures and ozone, a kinetic study of the, 54
—, polymer–filler, in polystyrene filled with coated glass spheres: 1. Interfacial adhesion control, 137
—, polymer–filler, in polystyrene filled with coated glass spheres: 2. Crazing modes at different adhesive strength in impact experiments, 342
Interactions of polymers and copolymers having *N*-methylated cyclic dipeptide in the side chain with metal ions in solution, and their synthesis, 188
Inter-laboratory comparison of low-angle laser light scattering for determination of molecular weights, 307
Intrinsic viscosity of high polymers, determination of, through a single specific viscosity measurement, 191
Ion exchange resin, evaluation of adsorbing capacity and selectivity of a new, with a poly(amido–amine) structure, 26
Ionomers, urethane, in water, influence of hydrophilic additives on the structural state of, 197

Joints, the effect of water and heat on the properties of an epoxide adhesive in relation to the performance of single lap, 67

Ketones, synthesis of some new vinyl ether monomers by *O*-methoxymethylation of hardly enolizable, 180
Kinetic study of the interaction of *trans*-polyacetylene $(CH)_x$ with oxygen–water mixtures and ozone, 54

Laser beam, thermo-recording on liquid-crystalline polymers with the aid of a, thermotropic liquid-crystalline polymers: 14, 364
Latex viscosity, the effect of molecular weight of poly(vinyl alcohol acetate) on, 285
Light scattering, dynamic, from aqueous solutions of poly(ethylene oxide), 208
Liquid crystal polymers, optical microstructure of oriented, 145
Liquid crystalline polymers, on the possibility of microphase separation in, 75
— polymer with mesogenic side groups and brominated main chain, supermolecular structure of, 260
— polymers, thermotropic,: 14. Thermo-recording on the liquid-crystalline polymers with the aid of a laser beam, 364
Low-angle scattering, a new look at the enhanced, in moderately concentrated polymer solutions, 230
Low-angle laser light scattering for determination of molecular weights – an inter-laboratory comparison, 307
Lower critical solution temperature, phase separation in a micellar solution of a block copolymer in the region of a, 200
— behaviour in blends of PMMA with PVC, 290
Macroreticular, rigid, poly(-*N*,*N*-dimethyl-*p*-vinylbenzamide) based supports for use in solid phase syntheses, 281

Maleic anhydride, bulk polymerization of, 61
Mannich bases in polymer synthesis: 4. Further studies on synthesis and characterization of some poly(*β*-aminoketone)s containing potentially mesogenic groups, 87
—, in polymer synthesis: 5. Synthesis and characterization of poly(*β*-ketothioethers) from aliphatic and aromatic bis(*β*-dialkylaminoketones) and bis-thiols, 156
Mechanical properties of polystyrene, morphology and changes in, with physical ageing, 336
Mechanistic implications of polymerization of diethyl 1,4-bis(trimethylsiloxy)cyclohexa-1,4-diene-2,5-dicarboxylate, 82
—, of the ^{13}C n.m.r. spectra of alternating styrene–methyl methacrylate copolymers prepared with metal halides and organometal halides, 162

Melting temperature, on the determination of the equilibrium, of nylon-6,6 and nylon-12, 19
Mesogenic side groups, supermolecular structure of liquid crystalline polymer with, and brominated main chain, 260
Metal complexes, metal selectivity properties of Schiff bases and thiobis-(β-diketones) when forming polymeric, 63
Metal dithiolates, mechanisms of antioxidant action: The role of disulphides as transformation products from, 24
Methyl orange, binding of, by water-soluble synthetic polyorganisolanes, 124
Micellar catalytic activities of phosphonium salts supported on functionalized siloxane gels, and syntheses of them, 185
Micellization, thermodynamics of, of a polystyrene-*b*-poly(ethylene/propylene), block copolymer in n-decane, 326
Microphase separation, on the possibility of, in liquid crystalline polymers, 75
Microscopy, u.v. fluorescence, in the study of poly(vinyl chloride) powders and extrudates, 103
Microstructure, optical, of oriented liquid crystal polymers, 145
— determination of polybutadiene by ^{13}C n.m.r., 203
Moisture, effect of, on physical properties of nylon, 287
— sorption of amine-cured epoxies, physical ageing and its effect on the, 171
Molecular motion in a poly(vinyl alcohol) crystal, 250
Molecular weights, low-angle laser light scattering for determination of, an inter-laboratory comparison of, 307
Monomers, synthesis of some new vinyl ether, by *O*-methoxymethylation of hardly enolizable ketones, 180
Morphology and surface area of crosslinked poly(ethylenimine) resins, 30
—, domain, in oriented polyurethane, 50
—, shish-kebabs as an intermediate, in gel-spinning/hot drawing of polyethylene, 237
— of polyphosphazene crystals, 329
— and changes in mechanical properties of polystyrene with physical ageing, 336

Networks, brillouin scattering from, of end-linked dimethyl siloxane oligomers, 221
Nitration, a ^{13}C n.m.r. investigation of the time dependence of, and denitration of cellulosic materials, 117
Nitrocelluloses, the surface chemistry of, a variable temperature study by means of e.s.c.a., 140
Nuclear magnetic resonance, a ^{13}C, investigation of the time dependence of nitration and denitration of cellulosic materials, 117
—, ^{13}C, spectra of alternating styrene–methyl methacrylate copolymers prepared with metal halides and organometal halides, mechanistic implications of the, 162
—, characterization of oligo(butylene terephthalate)'s through magic-angle ^{13}C, 194
—, ^{13}C, microstructure determination of polybutadiene by, 203
—, ^{13}C, investigations, evidence of compatibility in the melt for poly(ethylene oxide)/poly(methyl methacrylate) blends by, 266
—, silicon-29, chemical shifts of cyclic dimethyl siloxane oligomers, 278
— transverse relaxation and free induction, evidence for inhomogeneities in polyethylene melts as detected by, 317
Nylon, effect of moisture on physical properties of, 287
Nylon-6,6, on the determination of the equilibrium melting temperature of, and nylon-12, 19
Nylon-12, on the determination of the equilibrium melting temperature of nylon-6,6 and, 19
—, a note on the crystal structure of, 303

Oligo(butylene terephthalate)'s, characterization of, through magic-angle ^{13}C n.m.r., 194
Oligoester, calorimetric study of the thermodynamic state of macromolecules in boundary layers of a highly filled, 359
Oligomers, the adsorption of, 182
Optical microstructure of oriented liquid crystal polymers, 145
— birefringence, highly sensitive instrument for measuring, 240
Orientation, development of molecular, in the plane strain compression of PMMA, 16
Oxidation of polyacetylene $(CH)_x$ with tin tetrachloride, 57

Phase separation in a micellar solution of a block copolymer in the region of a lower critical solution temperature, 200
Phase transfer catalysed crosslinking of linear polymers, 70
Photo-energy transfer, effect of annealing on, in poly(2,6-dimethyl-1,4-phenylene oxide), polystyrene and their blends, 73
Physical properties of nylon, effect of moisture on, 287
—, correlations of the dry crazing resistance of glassy polymers with other, 292
Pipes, the influence of flaw size on the stress rupture lifetimes of polyethylene, 273
Polyacetylene $(CH)_x$, a kinetic study of the interaction of *trans*-, with oxygen–water mixtures and ozone, 54
— $(CH)_x$, oxidation of, with tin tetrachloride, 57
— films, doping of, to the metallic state with $PtCl_4$ and $H_2PtCl_6.6H_2O$, 300
—, *trans*-, barrier-activated I_2 doping of, as studied by e.s.r., 322
—, *trans*-, and polyparaphenylene, raman study of, with excitation in the u.v. range, 361
Polyamide, polyelectrolytes with phenolic side groups, synthesis and properties of, 315
Poly(amido–amine) structure, evaluation of adsorbing capacity and selectivity of a new ion exchange resin with a, 26
Poly(β-aminoketone)s containing potentially mesogenic groups, the Mannich bases in polymer synthesis: 4. Further studies on synthesis and characterization of some, 87
Poly(3-amino-L-tyrosine), synthesis and conformation of amphoteric, 92
Poly(aryletherketone) (PEEK), X-ray diffraction study of die drawn, 258
Polybenzimidazoles, synthesis of, with pendant quinoxaline ring, 213
Polybutadiene, microstructure determination of by ^{13}C n.m.r., 203
Poly(2,6-dimethyl-1,4-phenylene oxide), polystyrene, and their blends, effect of annealing on photo-energy transfer in, 73
Poly(dimethyl siloxane), positron annihilation studies of, 165
Poly(-*N*,*N*-dimethyl-*p*-vinylbenzamide), based supports, rigid macroreticular, for use in solid phase syntheses, 281
Poly(4,4′-diphylene diphenylvinylene), the synthesis of, via condensation polymerization of 4′4′-dibenzoylbiphenyl, 102
Polyelectrolytes, polyamide, with phenolic side groups, synthesis and properties of, 315
Polyethylene, high-density,/polystyrene blends, extrusion and injection moulding behaviour of, 10
—, temperature dependence of the B_{1u} lattice mode in the far infra-red spectrum of, 59
— filaments, tensile strength of ultra high modulus linear, 130
—, low density, and iPP tubular samples obtained by solid state backward extrusion, tensile large deformation behaviour of, 174
—, shish-kebabs as an intermediate morphology in gel-spinning/hot drawing of, 237
— pipes, the influence of flaw size on the stress rupture lifetimes of, 273
—, evidence for inhomogeneities in, as detected by n.m.r. transverse relaxation and free induction, 317
—, a SANS investigation into the role of melting and recrystallization during solid state deformation of, 354
Poly(ethylenimine) resins, morphology and surface area of crosslinked, 30
Poly(ethylene oxide), dynamic light scattering from aqueous solutions of, 208
—, effect of poly(methyl methacrylate) on the crystallization kinetics of, 211
—, study of polymer–polymer complex formation between, and *p*-hydroxybenzoic acid–formaldehyde copolymer in non-aqueous media, 253
— /poly(methyl methacrylate) blends, evidence of compatibility in the melt for, by ^{13}C n.m.r. investigations, 266
Poly(hydroxy ether of bisphenol A), *FT*i.r. studies of poly(vinyl ether) blends with the, 206
Poly(β-ketoamide), unexpected synthesis of a, from reaction of dibenzo(a,e) cyclocetene-6,12-bis(carbomethoxy)-5,11-dione with *m*-phenylene–diamine, 122
Poly(β-ketothioethers), the Mannich bases in polymer synthesis: 5. Synthesis and characterization of, from aliphatic and aromatic bis(β-dialkylaminoketones) and bis-thiols, 156
—, thermal behaviour of, 309
Boc-poly(α,ε-L-lysine), spherical non-draining, macromolecules: SAXS and viscosity studies, 132
Polymerization, non-classical free-radical,: 4. The polymerization of 2-deutero-1-vinylimidazole, 4
—, identification of orthorhombic polyoxymethylene generated in a cationic, trioxane system, 38
—, bulk, of maleic anhydride, 61
— of diethyl 1,4-bis(trimethylsiloxy) cyclohexa-1,4-diene-2,5-dicarboxylate: Mechanistic implications, 82
— of ethylene by the $TiCl_4/R_3Al/(C_6H_5)_2Mg$ catalyst, effect of $SbCl_5$ on the, 95
—, condensation, of 4,4′-dibenzobiphenyl, the synthesis of poly(4,4′-diphenylene diphenylvinylene) via, 102

—, propylene, additive effect of metal chlorides on, with a soluble titanium-based Ziegler catalyst, 244
— acid initiated, of acrylamide, 247
—, suspension, drop and grain size distribution during, of vinyl(chloride), 268
— of monomers containing functional groups protected by trialkylsilyl groups: 2. Synthesis of poly[2-(4-vinylphenyl)–ethanol] by anionic living polymerization, 339
Polymers, comments on crist *et al.*'s paper on chain dimensions of crystallizable, an alternative interpretation of the experimental data, 323
Polymer solutions, a new look at the enhanced low-angle scattering in moderately concentrated, 230
Poly(methacrylic acid), potentiometric hysteresis and ultra-violet spectroscopy of isotactic, 79
Poly(methyl methacrylate), development of molecular orientation in the plane strain compression of, 16
—, crystalline complexes of syndiotactic, with some organic solvents, 119
—, ductile fracture in fatigue of, 167
—, effect of, on the crystallization kinetics of poly(ethylene oxide), 211
— /poly(ethylene oxide) blends, evidence of compatibility in the melt for, by ^{13}C n.m.r. investigations, 266
—, *LCST* behaviour in blends of, with PVC, 290
Polyorganosiloxanes, binding of methyl orange by water-soluble synthetic, 124
Polyoxymethylene, identification of orthorhombic, generated in a cationic polymerization system of trioxane, 38
Polyparaphenylene and *trans*-polyacetylene, Raman study of with excitation in the u.v. range, 361
Polyphosphazene, crystals, morphology of, 329
Polypropylene tacticity determination by d.s.c. crystallization measurements, 48
—, isotactic, and low density polyethylene tubular samples obtained by solid state backward extrusion, tensile large deformation behaviour of, 174
— films, structural studies on obliquely highly redrawn isotactic, 370
Polypyrazole, solution properties and chain rigidity of a, in various solvents, 366
Polysaccharide modified sodium borohydride and supported-L-proline:chiral polymeric agents, 147
Polystyrene/high density polyethylene blends, extrusion and injection moulding behaviour of, 10
—, poly(2,6-dimethyl-1,4-phenylene oxide), and their blends, effect of annealing on photo-energy transfer in, 73
—, polymer–filler interaction in, filled with coated glass spheres: 1. Interfacial adhesion control, 137
— separation by supercritical fluid chromatography (SFC), 142
—, comments on the diffusion behaviour in semidilute solutions of, at marginal solvent conditions, 263
—, Rheomolded® samples, instability in the rubbery state as revealed by d.s.c. of, 331
—, morphology and changes in mechanical properties of, with physical ageing, 336
—, polymer–filler interaction in, filled with coated glass spheres: 2. Crazing modes at different adhesive strength in impact experiments, 342
Polystyrene–dioctyl phthalate systems, T_{ll} transitions of, from shear viscosity, 218
Polystyrene-*b*-poly(ethylene/propylene) block copolymer in n-decane, thermodynamics of micellization of a, 326
Polystyrenes, differential refractive indices of star-shaped and linear, 84
Polysulphone, observation of an epsilon crack tip plastic zone during discontinuous fatigue crack growth in, 41
Polyurethane, domain morphology in oriented, 50
Polyurethanes, segmented, hydrogen bonding in, band assignment for the carbonyl region, 314
Poly(vinyl acetate), electron spin resonance studies of spin-labelled polymers: 17. A spin probe study of the compatibility limit of, and dinonyl phthalate, 22
Poly(vinyl alcohol) gel, anomalous, rheological properties of an, 52
— crystal, molecular motion in a, 250
— gels, anomalous rheological behaviour of, 270
— gels, simple extension of, 345
Poly(vinyl alcohol acetate), the effect of molecular weight of, on latex viscosity, 285
Poly(vinylcarbazole)–tetracyanoquinodimethane charge–transfer complex, electrophotographic properties of a, 347
Poly(vinyl chloride) powders and extrudates, u.v. fluorescence microscopy in the study of, 103
— –ester systems, solubility predictions for, 107
—, gelation/crystallization of, 226
—, *LCST* behaviour in blends of PMMA with, 290
Poly(vinyl ether) blends with the poly(hydroxy ether of bisphenol A), *FT*i.r. studies of, 206
Poly[2-(4-vinylphenyl)–ethanol], synthesis of, by anionic living polymerization as an example of the polymerization of monomers containing functional groups protected by trialkylsilyl groups: 2., 339
Positron annihilation studies of poly(dimethyl siloxane), 165
Potentiometric hysteresis and ultra-violet spectroscopy of isotactic poly(methacrylic acid), 79
L-Proline, supported-, and polysaccharide modified sodium borohydride: chiral polymeric agents, 147
Properties, the effect of water and heat on the, of an epoxide adhesive in relation to the performance of single lap joints, 67
—, synthesis and, of polyamide polyelectrolytes with phenolic side groups, 315
Propylene polymerization, additive effect of metal chlorides on, with a soluble titanium-based Ziegler catalyst, 244

Quinoxaline ring, synthesis of polybenzimidazoles with pendant, 213

Raman study of *trans*-polyacetylene and polyparaphenylene with excitation in the u.v. range, 361
Reaction of dibenzo(a,e)Cyclocetene-6,12-*bis*(carbomethoxy)-5,11-dione with *m*-phenylene–diamine, unexpected synthesis of a poly(β-ketoamide) from, 122
Reactivity, influence of comonomers on the, of some halogen-substituted aromatic amines, 153
— of vinyl chloride towards the 2-cyano-2-propyl radical, 275
Recrystallization, a SANS investigation into the role of melting and, during solid state deformation of polyethylene, 354
Refractive index increment of polymers in ternary systems with special reference to diffusion measurements, 114
Refractive indices, differential, of star-shaped and linear polystyrenes, 84
Relaxation times, dependence of the glass transition temperature on, 77
Resins, morphology and surface area of crosslinked poly(ethylenimine), 30
Rheological properties of an anomalous poly(vinyl alcohol) gel, 52
Rheological behaviour, anomalous, of poly(vinyl alcohol) gels, 270
Rubber latices, d.s.c. analysis of natural, measurement of the glass transition temperature and the dry rubber content, 178
Rubbery state, instability in the, revealed by d.s.c. of Rheomolded polystyrene samples, 331

Schiff bases and thiobis-(β-diketones), metal selectivity properties of, when forming polymeric metal complexes, 63
Sensitive instrument, highly, for measuring optical birefringence, 240
Separation, polystyrene, by supercritical fluid chromatography (SFC), 142
Shish-kebabs as an intermediate morphology in gel-spinning/hot drawing of polyethylene, 237
Silica II, the trimethylsilylation of, dependence of yield and molecular weight on silica and proton concentration, 150
Siloxane gels, syntheses of functionalized, and the micellar catalytic activities of phosphonium salts supported on them, 185
Small-angle neutron scattering investigation into the role of melting and recrystallization during solid state deformation of polyethylene, 354
Small-angle X-ray scattering and viscosity studies of spherical non-draining Boc-poly(α,ε-L-lysine)macromolecules, 132
Solid phase syntheses, rigid macroreticular poly(-*N*,*N*-dimethyl-*p*-vinylbenzamide) based supports for use in, 281
Solubility predictions for poly(vinyl chloride)–ester systems, 107
Solution properties and chain rigidity of a polypyrazole in various solvents, 366
Solvent conditions, comments on the diffusion behaviour in semidilute solutions of polystyrene at marginal, 263
Star-shaped and linear polystyrenes, differential refractive indices of, 84
Stress rupture lifetimes, the influence of flaw size on the, 273
Structural studies on obliquely highly redrawn isotactic polypropylene films, 370
Styrene–acryonitrile copolymers, alkaline degradation of, 350
Supercritical fluid chromatography, (SFC), polystyrene separation by, 132
Supermolecular structure of liquid crystalline polymer with mesogenic side groups and brominated main chain, 260
Surface chemistry of nitrocelluloses: a variable temperature study by means of e.s.c.a., 140

Classified contents

Suspension, polymerization of vinyl(chloride), drop and grain size distribution during, 268
Synthesis and conformation of amphoteric poly(3-amino-L-tyrosine), 92
— of poly(4,4′-diphenylene diphenylvinylene) via condensation polymerization of 4,4′-dibenzoylbiphenyl, 102
—, unexpected, of a poly(β-ketoamide) from reaction of dibenzo(a,e)cyclocetene-6,12-*bis*(carbomethoxy)-5,11-dione with *m*-phenylene–diamine, 122
—, the Mannich bases in polymer, 5. Synthesis and characterization of poly(β-ketothioethers) from aliphatic and aromatic bis(β-dialkylaminoketones) and bis-thiols, 156
— of some new vinyl ether monomers by *O*-methoxymethylation of hardly enolizable ketones, 180
— of polymers and copolymers having *N*-methylated cyclic dipeptide in the side chain and interactions with metal ions in solution, 188
— of polybenzimidazoles with pendant quinoxaline ring, 213
— and properties of polyamide polyelectrolytes with phenolic side groups, 315
— of poly[2-(4-vinylphenyl)–ethanol] by anionic living polymerization as an example of the polymerization of monomers containing functional groups protected by trialkylsilyl groups: 2., 339

Temperature effects in free radically initiated copolymerization reactions, 35
— dependence of the B_{1u} lattice mode in the far infra-red spectrum of polyethylene, 59
Tensile strength of ultra high modulus linear polyethylene filaments, 130
Thermal behaviour of poly(β-Ketothioethers), 309
Thermodynamic model of association between polymer and small molecules in solution, 234
Thermodynamics of micellization of a polystyrene-*b*-poly(ethylene/propylene) block copolymer in n-decane, 326
Thermodynamic state, calorimetric study of the, of macromolecules in boundary layers of a highly filled oligoester, 359
Thermo-recording on liquid-crystalline polymers with the aid of a laser beam, thermotropic liquid-crystalline polymers: 14., 364
Thiobis-(β-diketones), metal selectivity properties of Schiff bases and, when forming polymeric metal complexes, 63
Tin tetrachloride, oxidation of polyacetylene $(CH)_x$ with, 57
Transitions, T_{ll}, of polystyrene–dioctyl phthalate systems from zero shear viscosity, 218
Trimethylsilylation of silica II, dependence of yield and molecular weight on silica and proton concentration, 150
Trioxane, identification of orthorhombic polyoxymethylene generated in a cationic polymerization system of, 38

Ultra-violet spectroscopy, potentiometric hysteresis and, of isotactic poly(methacrylic acid), 79
— fluorescence microscopy in the study of poly(vinyl chloride) powders and extrudates, 103
—, range, Raman study of *trans*-polyacetylene and polyparaphenylene with excitation in the, 361
Urethane ionomers in water, influence of hydrophilic additives on the structural state of, 197

Vinyl(chloride), drop and grain size distribution during suspension polymerization of, 268
—, reactivity of, towards the 2-cyano-2-propyl radical, 275
Viscometric characterization of a polymeric catalyst for the autoxidation of thiols, 216
Viscosity and SAXS studies of spherical non-draining Boc-poly(α,ε-L-lysine) macromolecules, 132
—, specific, measurement, determination of intrinsic viscosity of high polymers through a single, 191
—, T_{ll} transitions of polystyrene–dioctyl phthalate systems from zero shear, 218
—, the effect of molecular weight of poly(vinyl acetate) on latex, 285

X-ray diffraction study of die drawn poly(aryletherketone) (PEEK), 258

Ziegler catalyst, additive effect of metal chlorides on propylene polymerization with a soluble titanium-based, 244

BOOK INSIGHT

RUBBER TECHNOLOGY AND MANUFACTURE

SECOND EDITION

Edited by **C M Blow** and **C Hepburn**

The first edition was conceived with the idea of providing an up-to-date guide for students and graduates entering the rubber and allied industries. C M Blow has been joined by C Hepburn to completely revise and rewrite this second edition. New sections include "reclaim and crumb", recent developments in product manufacture in the Far East, new diagrams of relative properties of polymers, integral bonding additives, coupling agents and health hazards arising in the use of chemicals.

Contents: History : An outline of rubber technology : The physics of raw and vulcanised rubbers : Raw polymeric materials : The chemistry and technology of vulcanisation : Materials for compounding and reinforcement : Reinforcement by fillers : Processing technology : Principles of compounding : Manufacturing techniques : Testing procedures and standards: specifications : Professional, trade, research, and standards organizations : Bibliography : References : Subject index.

Hardcover 624 pages 234 x 156mm 0 408 00587 4 Illustrated £26.50 in the UK only

Orders should be sent to the appropriate Butterworth office listed below.
For details of other Butterworth Scientific or Ann Arbor titles, please contact the appropriate Butterworth office

Butterworth Scientific

United Kingdom
Butterworth & Co
(Publishers) Ltd
Borough Green, Sevenoaks
Kent, TN15 8PH

USA
Butterworth & Co
(Publishers) Inc
10 Tower Office Park
Woburn, MA 01801

South Africa
Butterworth & Co
(SA) (Pty) Ltd
PO Box 792
152-154 Gale Street
Durban 4000

Australia
Butterworths Pty Ltd
POB 345
North Ryde, NSW 2113

New Zealand
Butterworths
of New Zealand Ltd
33-35 Cumberland Place
CPO Box 472
Wellington 1